Certificate of Analysis

Customer Information

Client: Social Bevco LLC
Attention: marcus@socialbevcollc.com
Address: 1309 Coffeen Ave, STE 1200
Sheridan, WY 82801

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: Tru Moods kava Shot
Lot Number: 3226 B-1
Description: Ready-to-drink beverage
Condition: Good
Job ID: ISO06438
Sample ID: I17988
Received: 03MAR2026
Completed: 05MAR2026
Issued: 05MAR2026

Test Results

Kavalactones (UHPLC-DAD) **Method Code: T104** **Tested: 03MAR2026 | 1359**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Kavain	Report Results	0.0760	w/w%	0.0016	N/A
Dihydrokavain	Report Results	0.133	w/w%	0.0016	N/A
Methysticin	Report Results	0.0160	w/w%	0.0016	N/A
Dihydromethysticin	Report Results	0.0483	w/w%	0.0016	N/A
Yangonin	Report Results	0.0174	w/w%	0.0016	N/A
Desmethoxyyangonin	Report Results	0.0331	w/w%	0.0016	N/A
Flavokawain A	Report Results	0.00311	w/w%	0.0016	N/A
Flavokawain B	Report Results	0.00806	w/w%	0.0016	N/A
Flavokawain C	Report Results	<LOQ	w/w%	0.0016	N/A
Total Kavalactones	Report Results	0.324	w/w%	0.0016	N/A

Kavalactones (UHPLC-DAD) **Method Code: T104** **Tested: 03MAR2026 | 1359**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Kavain	Report Results	0.779	mg/mL	0.016	N/A
Dihydrokavain	Report Results	1.36	mg/mL	0.016	N/A
Methysticin	Report Results	0.164	mg/mL	0.016	N/A
Dihydromethysticin	Report Results	0.495	mg/mL	0.016	N/A
Yangonin	Report Results	0.178	mg/mL	0.016	N/A
Desmethoxyyangonin	Report Results	0.339	mg/mL	0.016	N/A
Flavokawain A	Report Results	0.0319	mg/mL	0.016	N/A
Flavokawain B	Report Results	0.0826	mg/mL	0.016	N/A
Flavokawain C	Report Results	<LOQ	mg/mL	0.016	N/A
Total Kavalactones	Report Results	3.32	mg/mL	0.016	N/A

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

Microbial Examination

Method Code: T005 **Tested: 05MAR2026 | 1412**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Total Yeast and Mold	NMT 1,000 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Total Coliforms	NMT 100 CFU/g	<LOQ	CFU/g	10 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 25 g	Not Detected	N/A	1 CFU/25g	PASS

Elemental Impurities (ICP-MS)

Method Code: T301 **Tested: 03MAR2026 | 1419**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	<LOQ	ug/g	0.006	PASS
Cadmium	NMT 0.50	<LOQ	ug/g	0.002	PASS
Mercury	NMT 0.20	<LOQ	ug/g	0.002	PASS
Lead	NMT 0.50	<LOQ	ug/g	0.002	PASS

Foreign Matter Inspection

Method Code: T501 **Tested: 03MAR2026 | 1209**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Foreign Matter	NMT 3%	<LOQ	%	0.05	PASS

Residual Solvents: Class I (GC-MS)

Method Code: T201 **Tested: 03MAR2026 | 1721**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)

Method Code: T201 **Tested: 03MAR2026 | 1721**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	75	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	46.75	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	46.75	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	29.5	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22.25	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54.25	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.75	PASS
Hexane	NMT 290	<LOQ	ug/g	7.25	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.25	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2	PASS
Pyridine	NMT 200	<LOQ	ug/g	5	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS
Total Xylenes	NMT 2170	<LOQ	ug/g	54	PASS

Residual Solvents: Class III (GC-MS) **Method Code: T201** **Tested: 03MAR2026 | 1721**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Pentane	NMT 5000	<LOQ	ug/g	125	PASS
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
Acetone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Heptane	NMT 5000	<LOQ	ug/g	125	PASS
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS
Anisole	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS

Pesticides (GC-MS/MS) **Method Code: T401** **Tested: 04MAR2026 | 1807**

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Acephate	NMT 0.1	ND	mg/Kg	0.0097	PASS
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.0097	PASS
Azinphos-methyl	NMT 1	ND	mg/Kg	0.0097	PASS
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.0097	PASS
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.0097	PASS
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.0097	PASS
Deltamethrin	NMT 0.5	ND	mg/Kg	0.0097	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.0097	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.0097	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.0194	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.0097	PASS
Omethaote	Report Results	ND	mg/Kg	0.0097	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.0969	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.0484	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.0484	N/A
Ethion	NMT 2	ND	mg/Kg	0.0097	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.0194	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.0097	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.0097	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.0097	PASS
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.0388	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.0097	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.0097	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.0097	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.0194	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.0194	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.0194	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.0194	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.0194	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.0194	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.0097	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.0097	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.0194	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.0097	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.0097	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.0097	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.0097	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.0194	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.0097	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.0194	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.0097	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.0097	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.0097	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.0097	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.0291	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.0194	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.0097	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.0097	PASS
Prothiophos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.0484	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Cinerin I	Report Results	ND	mg/Kg	0.0484	N/A
Cinerin II	Report Results	ND	mg/Kg	0.0484	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.0484	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.0484	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.0484	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.0484	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.0097	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.0097	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.0097	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.0194	PASS
Dieldrin	Report Results	ND	mg/Kg	0.0097	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.0097	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.0097	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.0194	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.0097	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.0097	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.0194	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.0097	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.0097	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.0097	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.0194	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.0097	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.0194	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.0097	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.0097	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.0097	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.0097	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.0097	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.0097	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.0097	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.0097	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.0097	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.0097	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.0097	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.0097	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.0097	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.0194	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.0194	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.0194	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.0097	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.0097	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.0097	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0097	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0097	N/A
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.0097	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.0097	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methoxychlor	NMT 0.05	ND	mg/Kg	0.0097	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.0097	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.0097	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.0097	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.0097	N/A
trans-Permethin	Report Results	ND	mg/Kg	0.0097	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.0097	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.0872	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.0194	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.0484	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.0097	PASS
S-421	NMT 0.02	ND	mg/Kg	0.0097	PASS

Additional Report Notes

T104 result, LOQ and unit converted from w/w% to mg/mL using a laboratory measured density of 1.025 g/mL. T401 performed by a registered outsourcing facility.

Revision History

Report ID: 3428f55b-d372-44ac-9a53-ac3ed266ffdc
rev 00 - Initial release.
rev 01 - Added T005 and T401 results.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature: Tyler West
Name: Tyler West
Position: Laboratory Director
Department: Management
Date: 05MAR2026

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.