TL LABORATORIES

Certificate of Analysis

T5C0808

Global Widget
Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations

Compliance for Retail: **PASS**



Green Roads Original Tincture Full Spec 1500mg 30ml - 1floz

Sample ID: T5C0808-01 CCB ID:LOT 25015
Matrix: Derivative Non-inhalable

Total Sample Received: 30g
Total Units Received: 1
Unit Weight: 30g

Date Sampled: 03/27/2025
Date Received: 03/27/2025
Date Reported: 04/02/2025

Safety Summary

Foreign Materials	Heavy Metals	Microbials	Moisture Content	Mycotoxins
PASS	PASS	PASS	NOT TESTED	PASS

Pesticides	Residual Solvents	Terpenes	Water Activity	Vitamins Supplements
PASS	PASS	NOT TESTED	PASS	NOT TESTED

Potency Summary

Cannabinoids

Date Prepared: 03/31/2025 12:12 Prep ID: 4599 Specimen Wt: 0.106 g
Date Analyzed: 03/31/2025 15:10 Analyst ID: 5047 Instrument: HPLC VWD
Lab Batch: 2514015 Prep/Analysis Method: SOP 1357

Analyte	Dilution	Results	mg/Serving	mg/Unit
		%	mg	mg
Cannabichromene (CBC)	1	0.521	N/A	156
Cannabidiol (CBD)	1	5.09	N/A	1,528
Cannabidiolic acid (CBDA)	1	ND	N/A	ND
Cannabidivarin (CBDV)	1	0.251	N/A	75.2
Cannabigerol (CBG)	1	0.601	N/A	180
Cannabigerolic acid (CBGA)	1	ND	N/A	ND
Cannabinol (CBN)	1	0.422	N/A	127
d8 - Tetrahydrocannabinoid (d8-THC)	1	ND	N/A	ND
d9 - Tetrahydrocannabinoid (d9-THC)	1	0.165	N/A	49.6
d9 - Tetrahydrocannabinolic acid (THCA)	1	ND	N/A	ND
Tetrahydrocannabivarin (THCV)	1	ND	N/A	ND
d10 - Tetrahydrocannabinoid (d10-THC)	1	ND	N/A	ND
Total THC		0.165	0.000	0.000
Total CBD		5.09	0.000	1,527
Total Cannabinoids		7.05	0.000	2,115

Total THC= THCa * 0.877 + d9-THC. Total CBD= CBDa * 0.877 + CBD.
mg/Unit = Unit Weight g * Total THC/CBD mg/g
LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Serving Size: g

TL Laboratories
10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA Testing
Accreditation #116557

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

TL LABORATORIES

Certificate of Analysis

T5C0808

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Original Tincture Full Spec 1500mg 30ml - 1floz

Sample ID: T5C0808-01 CCB ID:LOT 25015
Matrix: Derivative Non-inhalable

Total Sample Received: 30g
Total Units Received: 1
Unit Weight: 30g

Date Sampled: 03/27/2025
Date Received: 03/27/2025
Date Reported: 04/02/2025

Pesticides

Pass

Prep Mehtod: SOP 1363	Batch	Instrument	Analyzed	Analyst	Prepped	Prepped By	Specimen Wt. (g)	Analysis SOP
Pesticide LCQQQ	2513137	LCMSMS	3/29/2025 4:25:41PM	2670	3/28/2025 9:02:00AM	4599	1.04	SOP1350
* Pesticides GCQQQ	2513138	GCMSMS	3/29/2025 11:58:52PM	2670	3/28/2025 9:04:00AM	4599	1.04	SOP1356

Analyte	DIL	Action Limit	LOD	Results	Status	Analyte	DIL	Action Limi	LOD	Results	Status
		ppb	ppb	ppb				ppb	ppb	ppb	
Abamectin	1	300	30.0	ND	Pass	Imazalil	1	100	10.0	ND	Pass
Acephate	1	3000	300	ND	Pass	Imidacloprid	1	3000	300	ND	Pass
Acequinocyl	1	2000	200	ND	Pass	Kresoxim-methyl	1	1000	100	ND	Pass
Acetamiprid	1	3000	300	ND	Pass	Malathion	1	2000	200	ND	Pass
Aldicarb	1	100	10.0	ND	Pass	Metalaxyl	1	3000	300	ND	Pass
Azoxystrobin	1	3000	300	ND	Pass	Methiocarb	1	100	10.0	ND	Pass
Bifenazate	1	3000	300	ND	Pass	Methomyl	1	100	10.0	ND	Pass
Bifenthrin	1	500	50.0	ND	Pass	Mevinphos	1	100	10.0	ND	Pass
Boscalid	1	3000	300	ND	Pass	Myclobutanil	1	3000	300	ND	Pass
Carbaryl	1	500	50.0	ND	Pass	Naled	1	500	50.0	ND	Pass
Carbofuran	1	100	10.0	ND	Pass	Oxamyl	1	500	50.0	ND	Pass
Chlorantraniliprole	1	3000	300	ND	Pass	Paclobutrazol	1	100	10.0	ND	Pass
Chlormequat Chloride	1	3000	300	ND	Pass	Permethrin	1	1000	100	ND	Pass
Chlorpyrifos	1	100	10.0	ND	Pass	Phosmet	1	200	20.0	ND	Pass
Clofentezine	1	500	50.0	ND	Pass	Piperonyl butoxide	1	3000	300	ND	Pass
Coumaphos	1	100	10.0	ND	Pass	Prallethrin	1	400	40.0	ND	Pass
Cyfluthrin	1	1000	100	ND	Pass	Propiconazole	1	1000	100	ND	Pass
Cypermethrin	1	1000	100	ND	Pass	Propoxur	1	100	10.0	ND	Pass
Daminozide	1	100	10.0	ND	Pass	Pyrethrins	1	1000	100	ND	Pass
Diazinon	1	200	20.0	ND	Pass	Pyridaben	1	3000	300	ND	Pass
Dichlorvos	1	100	10.0	ND	Pass	Spinetoram, total	1	3000	300	ND	Pass
Dimethoate	1	100	10.0	ND	Pass	Spinosad, total	1	3000	300	ND	Pass
Dimethomorph	1	3000	300	ND	Pass	Spiromesifen	1	3000	300	ND	Pass
Ethoprophos	1	100	10.0	ND	Pass	Spirotetramat	1	3000	300	ND	Pass
Etofenprox	1	100	10.0	ND	Pass	Spiroxamine	1	100	10.0	ND	Pass
Etoxazole	1	1500	150	ND	Pass	Tebuconazole	1	1000	100	ND	Pass
Fenhexamid	1	3000	300	ND	Pass	Thiacloprid	1	100	10.0	ND	Pass
Fenoxycarb	1	100	10.0	ND	Pass	Thiamethoxam	1	1000	100	ND	Pass
Fenpyroximate	1	2000	200	ND	Pass	Trifloxystrobin	1	3000	300	ND	Pass
Fipronil	1	100	10.0	ND	Pass	Captan*	1	3000	300	ND	Pass
Flonicamid	1	2000	200	ND	Pass	Chlordane*	1	100	10.0	ND	Pass
Fludioxonil	1	3000	300	ND	Pass	Chlorfenapyr*	1	100	10.0	ND	Pass
Hexythiazox	1	2000	200	ND	Pass	Methyl parathion*	1	100	10.0	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
* - GCMSMS Pesticides

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA Testing
Accreditation #116557

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

TL LABORATORIES

Certificate of Analysis

T5C0808

Global Widget

Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Original Tincture Full Spec 1500mg 30ml - 1floz

Sample ID: T5C0808-01 CCB ID:LOT 25015
Matrix: Derivative Non-inhalable

Total Sample Received: 30g
Total Units Received: 1
Unit Weight: 30g

Date Sampled: 03/27/2025
Date Received: 03/27/2025
Date Reported: 04/02/2025

Mycotoxins — Pass

Date Prepared: 03/28/2025 09:02 Prepped By: 4599 Specimen Wt: 1.04 g
Date Analyzed: 03/29/2025 16:25 Analyzed By: 2670 Instrument: LCMSMS

Lab Batch: 2513137 Prep Method: SOP 1363 Analysis Method: SOP 1350

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Aflatoxin B1	1	20.0	2	ND	Pass
Aflatoxin B2	1	20.0	2	ND	Pass
Aflatoxin G1	1	20.0	2	ND	Pass
Aflatoxin G2	1	20.0	2	ND	Pass
Ochratoxin A	1	20.0	2	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals — Pass

Date Prepared: 03/31/2025 12:30 Prepped By: 1094 Specimen Wt: 0.58 g
Date Analyzed: 03/31/2025 15:11 Analyzed By: 1094 Instrument: ICPMS
Lab Batch: 2514009 Prep Method: SOP 1362 Analysis Method: SOP1358

Analyte	DIL	Action Limit	LOD	Results	Status
		ppb	ppb	ppb	
Arsenic	1	1500	150	ND	Pass
Cadmium	1	500	50.0	ND	Pass
Lead	1	500	50.0	ND	Pass
Mercury	1	3000	300	ND	Pass
Total				0.00	

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials — Pass

Date Prepared: 03/28/2025 16:49 Prep ID: 1093 Specimen Wt: 1.00 g
Date Analyzed: 03/31/2025 11:38 Analyst ID: 1093 Instrument: qPCR
Lab Batch: 2513168 Analysis Method: SOP1353/1364/1352

Analyte	Action Limit	LOD	Results	Status
	cfu/g	cfu/g	cfu/g	
Aspergillus Flavus	1	1	Absent in 1 gram	Pass
Aspergillus Fumigatus	1	1	Absent in 1 gram	Pass
Aspergillus Niger	1	1	Absent in 1 gram	Pass
Aspergillus Terreus	1	1	Absent in 1 gram	Pass
Salmonella	1	1	Absent in 1 gram	Pass
Shiga Toxin producing E. Coli	1	1	Absent in 1 gram	Pass
Pseudomonas Aeruginosa	1	1	Absent in 1 gram	Pass
Staphylococcus Aureus	1	1	Absent in 1 gram	Pass
Total Yeast and Mold	100000	10000	ND	Pass
Standard Plate Count	10000	1	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Materials — Pass

Date Prepared: 03/31/2025 20:11 Prep ID: 1150 Instrument: Visual Inspection
Date Analyzed: 03/31/2025 20:12 Analyst ID: 3780
Lab Batch: 2514006 Analysis Method: SOP1359

Analyte	Action Limit (% by wt)	Results	Status
Foreign Material	1.00	ND	Pass
Feces	0.500	ND	Pass

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Water Activity — Pass

Date Prepared: 03/31/2025 20:11 Prep ID: 1150 Specimen Wt: 0.50 g
Date Analyzed: 03/31/2025 20:11 Analyst ID: 3780 Instrument: Water Activity Meter
Lab Batch: 2514006 Analysis Method: SOP1355

Analyte	Action Limit	Result	Status
	aW	aW	
Water Activity	0.85	0.02	Pass

ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA Testing
Accreditation #116557

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)

TL LABORATORIES

Certificate of Analysis

T5C0808

Global Widget
Client Lic#:
8419 Sunstate St. Tampa, FL 33634

Camille - RT Formulations



Compliance for Retail: **PASS**

Green Roads Original Tincture Full Spec 1500mg 30ml - 1floz

Sample ID: T5C0808-01 CCB ID:LOT 25015
Matrix: Derivative Non-inhalable

Total Sample Received: 30g
Total Units Received: 1
Unit Weight: 30g

Date Sampled: 03/27/2025
Date Received: 03/27/2025
Date Reported: 04/02/2025

Residual Solvents

Pass

Date Prepared: 03/28/2025 15:45 Prep ID: 2447 Specimen Wt: 0.05 g
Date Analyzed: 03/29/2025 00:48 Analyst ID: 2447 Instrument: GCMSMS Headspace
Lab Batch: 2513155 Analysis Method: SOP1361

Analyte	DIL	Action Limit	LOD	Results	Status
		ppm	ppm	ppm	
1,1-Dichloroethene	1	8.00	0.800	ND	Pass
1,2-Dichloroethane	1	5.00	0.500	ND	Pass
Acetone	1	5000	500	ND	Pass
Acetonitrile	1	410	41.0	ND	Pass
Benzene	1	2.00	0.200	ND	Pass
Butane	1	5000	500	ND	Pass
Chloroform	1	60.0	6.00	ND	Pass
Ethyl acetate	1	5000	500	ND	Pass
Ethyl ether	1	5000	500	ND	Pass
Ethylene oxide	1	10.0	1.00	ND	Pass
Heptane	1	5000	500	ND	Pass
Hexane	1	290	29.0	ND	Pass
Isopropyl alcohol	1	5000	500	ND	Pass
Methanol	1	3000	300	ND	Pass
Methylene chloride	1	600	60.0	ND	Pass
Pentane	1	5000	500	ND	Pass
Propane	1	5000	500	ND	Pass
Toluene	1	890	89.0	ND	Pass
Xylenes, total	1	2170	217	ND	Pass
Trichloroethylene	1	80.0	8.00	ND	Pass

LOD = Limit of Detection; ND = Not Detected.
Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

TL Laboratories

10350 Fisher Ave, Tampa, Florida 33619
813-726-3103 / www.terplifelabs.com

Brian C. Spann
Laboratory Director

PJLA Testing
Accreditation #116557

The data contained therein are based on sound scientific analytical procedures and judgment. TL Laboratories strives to deliver high quality results. This report shall not be reproduced without written consent from TL Laboratories The results of this report relate only to the material or product received and analyzed. Test Results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017)